

Sewer Advisory Board, City of Lookout Mountain, GA

Billing Adjustment Request Form

If you had a water leak which resulted in an abnormally high water bill, you may request an adjustment by submitting the following form to the Sewer Advisory Board, City Hall, 1214 Lula Lake Road. If your leak was in your yard or under the house you should be eligible. If the leak flowed into the sewer from inside your house, your claim will be denied. Only outside leaks will be considered.

Customer Name: _____

Service Address: _____

Phone Number: _____ Email: _____

Reason for Adjustment Claim _____

We need a record of six months billing for water and sewage beginning with the month the claim is for. Include cubic feet of water from TAWC bill.

Month: _____ Sewer Bill: \$ _____ Water Bill: \$ _____ CF _____

Month: _____ Sewer Bill: \$ _____ Water Bill: \$ _____ CF _____

Month: _____ Sewer Bill: \$ _____ Water Bill: \$ _____ CF _____

Month: _____ Sewer Bill: \$ _____ Water Bill: \$ _____ CF _____

Month: _____ Sewer Bill: \$ _____ Water Bill: \$ _____ CF _____

Month: _____ Sewer Bill: \$ _____ Water Bill: \$ _____ CF _____

Did you receive an adjustment from TAWC? Yes/No If yes, how much: \$ _____

Requests are reviewed monthly. You will receive an email response.

You must enclose a copy of your plumber's repair bill.

Signed: _____